



Key Features:

- Up to 19,000+ container per hour production
- · Sanitary stainless steel constructed frame
- Color touch screen controls complete with management lockout
- Job memory for quick and easy changeovers
- Versitile filling options for various free fowing products and containers
- Fully automated synchronized rinse, fill, cap system
- Easily intergraded into existing lines

Options:

- Fully automated Clean In Place system
- Additional container capper guides







2980 Scott St, Vista CA 92081 • 760.734.4177 • Fax 760.734.4188 Email: sales@AccutekPackaging.com • AccutekPackaging.com



MB Series MonoBlock Rinse, Fill, Cap Systems

The **Biner Ellison MB Series** Monoblock machines are designed to simplify your high speed bottling line, by combining the bottle rinser, filler, and capper into a single space saving machine. Rinsing, filling and capping are tasks of central importance in beverage, food, cosmetic and chemical industries. Biner Ellison has the correct solution for a broad product spectrum of products and offers units in fill to level, volumetric, gravity, or vacuum filling systems. A wide range of system variants are also available in order to provide the correct solution for each individual application. Each Mono Block machine is specifically designed to suit product demands, space constraints, and the production environment in order to optimize output and produce the best product possible.

Two frame sizes are available in order to best meet your containers specifications. The entire bottling process is carried out continuously in a fully enclosed safety interlocked chamber. Multiple sorting options are available including elevator, centrifugal bowl, and vibratory for caps smaller then 11mm.

If your are looking for a high speed bottling line solution then take a look at the MB Series monoblock systems from Biner Ellison.











Example products the MB Series can fill:

Water, fruit juices & extracts, liquid tea, liquid coffee, sports drinks, vitamin water, tea, vegetable oil, milk, tomato juice, and many other similar liquids.

MB24-8 MonoBlock - 24 Head Filler, 8 Head Capper



Unit Specifications

 Dimensions:
 150" x 69" x 89" (381 cm x 175 cm x 226 cm)

 Weight:
 ~6200lbs. (2800kg)

 Electrical Requirements:
 220/240 VAC, 20 AMP, 3 Phase

 Air Requirements:
 100 PSI @ 5-10 CFM

Output

Filling Speed:UViscosity Range:20

Up to 240 CPM¹ 2000 cps (Centipoise)



MB32-12 MonoBlock - 32 Head Filler, 12 Head Capper



Unit Specifications

Dimensions:	184" x 86" x 89" (467 cm x 219 cm x 226 cm)
Weight:	~8500bs. (3850 kg)
Electrical Requirements:	220/240 VAC, 20 AMP, 3 Phase
Air Requirements:	100 PSI @ 5-10 CFM

Output

Filling Speed:Up to 320 CPM1Viscosity Range:2000 cps (Centipoise)



1 Fill speed is dependent on several things: model, operator, container dimensions, and product characteristics.